



Video Streamer



Technical Supplement

Pairing Additional Receivers

This document describes how to manually pair a HD Video Streamer Receiver unit to a Transmitter. This is necessary when extending an existing 1 Transmitter to 1 Receiver system to one which has multiple Receiver units.

Procedure for manual pairing

Interaction with both the Transmitter and the Receiver is required. Therefore pairing is easiest when both the transmitter and the receiver units are in close proximity to each other.

- ❑ Power up both the existing transmitter unit and the new receiver unit and wait until both are fully powered. ***This is indicated by a permanent Power Indicator (green LED) and the Wireless Indicator (Blue LED) starts to flash.***

- ❑ Taking the transmitter unit first and using a paper clip or similar object locate the small round hole near the USB connector. Insert the paper clip and gently push down on the button (see figure). ***Keep the button pushed for at least 2 seconds then release. The Power Indicator LED will flash Green when the button is successfully pressed.***

- ❑ Repeat the above steps for the receiver unit. ***The Transmitter and Receiver must be put into pairing mode within two minutes of each other otherwise the process will fail, if this occurs restart the process as described above.***

- ❑ After approximately 1 minute pairing should be complete and the receiver will be connected to the transmitter unit. ***The Power Indicator LED will return back to permanent green indicating that the unit has left pairing mode.***

- ❑ Remove the power from the Receiver and locate in required position. Connect to a TV via a HDMI cable. Turn on the TV and power up the Receiver unit.

- ❑ To confirm that pairing is successful check the On Screen Display of the receiver unit it will display "Wireless: Connected". If there is a source device connected to the HDMI input of the transmitter unit video will start to be displayed on the receiver.

Location of button to enable pairing mode and Power LED indicating if pairing mode has been enabled

To put the unit into pairing mode press the button with paper clip or similar object for at least 2 seconds.



Power Indicator LED will flash green to indicate pairing mode has been enabled

Contact

Web: www.provision-comm.com or www.globalinvacom.com

Email: support@provision-comm.com

TS-Pairing_V0.01

Copyright GI Provision Ltd 2013